



注意: 寿命有限, 在正常条件下可使用约2000次. 需定期检查精度



日标公制螺纹塞规



4239-20P



4239-20PW

- 符合日标JIS B0251-1975, JIS B0252-1996标准
- 包含通规和止规
- 带生产厂检验证书


*型号说明举例:

公称直径	螺距	等级II(GPIP)	等级II(GPWP)
M20	1	-20P	-20PW

II级内螺纹检查用塞规(GPIPII)型号为4239-20P
II级内螺纹工作用塞规(GPWP II)型号为4239-20PW

内螺纹量规公差位置说明

量规公差
磨损公差



规格(mm)		型号(4239)*	
		等级II	
公称直径	螺距	GPIP 检查用	GPWP 工作用
M1	0.2	-1A	-1AW
	0.25	-1B	-1BW
M1.1	0.2	-1D1A	-1D1AW
	0.25	-1D1B	-1D1BW
M1.2	0.2	-1D2A	-1D2AW
	0.25	-1D2B	-1D2BW
M1.4	0.2	-1D4A	-1D4AW
M1.6	0.2	-1D6A	-1D6AW
	0.35	-1D6D	-1D6DW
M1.7	0.35	-1D7D	-1D7DW
M1.8	0.2	-1D8A	-1D8AW
	0.35	-1D8D	-1D8DW
M2	0.35	-2D	-2DW
	0.4	-2E	-2EW
M2.2	0.25	-2D2B	-2D2BW
	0.45	-2D2F	-2D2FW
M2.3	0.4	-2D3E	-2D3EW
M2.5	0.35	-2D5D	-2D5DW
	0.45	-2D5F	-2D5FW

规格(mm)		型号(4239)*	
		等级II	
公称直径	螺距	GPIP 检查用	GPWP 工作用
M2.6	0.45	-2D6F	-2D6FW
M3	0.35	-3D	-3DW
	0.5	-3G	-3GW
M3.5	0.35	-3D5D	-3D5DW
	0.6	-3D5I	-3D5IW
M4	0.5	-4G	-4GW
	0.7	-4K	-4KW
M4.5	0.5	-4D5G	-4D5GW
	0.75	-4D5L	-4D5LW
M5	0.5	-5G	-5GW
	0.8	-5M	-5MW
M5.5	0.5	-5D5G	-5D5GW
M6	0.75	-6L	-6LW
	1	-6P	-6PW
M7	0.75	-7L	-7LW
	1	-7P	-7PW
M8	0.75	-8L	-8LW
	1	-8P	-8PW
	1.25	-8Q	-8QW

规格(mm)		型号(4239)*	
		等级II	
公称直径	螺距	GPIP 检查用	GPWP 工作用
M9	0.75	-9L	-9LW
	1	-9P	-9PW
M10	0.75	-10L	-10LW
	1	-10P	-10PW
	1.25	-10Q	-10QW
M11	1.5	-10R	-10RW
	0.75	-11L	-11LW
M12	1	-11P	-11PW
	1.5	-11R	-11RW
M14	1	-12P	-12PW
	1.25	-12Q	-12QW
	1.5	-12R	-12RW
M15	1.75	-12S	-12SW
	1	-14P	-14PW
M16	1.5	-14R	-14RW
	2	-14T	-14TW
M18	1	-15P	-15PW
	1.5	-15R	-15RW
	1	-16P	-16PW

规格(mm)		型号(4239) [*]	
		等级II	
公称直径	螺距	GPIP 检查用	GPWP 工作用
M16	1.5	-16R	-16RW
	2	-16T	-16TW
M17	1	-17P	-17PW
	1.5	-17R	-17RW
M18	1	-18P	-18PW
	1.5	-18R	-18RW
	2	-18T	-18TW
M20	2.5	-18U	-18UW
	1	-20P	-20PW
	1.5	-20R	-20RW
M22	2	-20T	-20TW
	2.5	-20U	-20UW
	1	-22P	-22PW
M24	1.5	-22R	-22RW
	2	-22T	-22TW
	2.5	-22U	-22UW
M25	1	-24P	-24PW
	1.5	-24R	-24RW
	2	-24T	-24TW
M26	3	-24V	-24VW
	1	-25P	-25PW
	1.5	-25R	-25RW
M27	2	-25T	-25TW
	1.5	-26R	-26RW
	1	-27P	-27PW
M28	1.5	-27R	-27RW
	2	-27T	-27TW
	3	-27V	-27VW
M30	1	-28P	-28PW
	1.5	-28R	-28RW
	2	-28T	-28TW
M32	1	-30P	-30PW
	1.5	-30R	-30RW
	2	-30T	-30TW
M33	3	-30V	-30VW
	3.5	-30N	-30NW
	1.5	-32R	-32RW
M36	2	-32T	-32TW
	1.5	-33R	-33RW
	2	-33T	-33TW
M38	3	-33V	-33VW
	3	-33V	-33VW
	4	-33X	-33XW

规格(mm)		型号(4239) [*]	
		等级II	
公称直径	螺距	GPIP 检查用	GPWP 工作用
M33	3.5	-33N	-33NW
M35	1.5	-35R	-35RW
M36	1.5	-36R	-36RW
	2	-36T	-36TW
	3	-36V	-36VW
	4	-36X	-36XW
M38	1.5	-38R	-38RW
M39	1.5	-39R	-39RW
	2	-39T	-39TW
	3	-39V	-39VW
	4	-39X	-39XW
M40	1.5	-40R	-40RW
	2	-40T	-40TW
	3	-40V	-40VW
M42	1.5	-42R	-42RW
	2	-42T	-42TW
	3	-42V	-42VW
	4	-42X	-42XW
M45	4.5	-42Y	-42YW
	1.5	-45R	-45RW
	2	-45T	-45TW
	3	-45V	-45VW
M48	4	-45X	-45XW
	4.5	-45Y	-45YW
	1.5	-48R	-48RW
M50	2	-48T	-48TW
	3	-48V	-48VW
	4	-48X	-48XW
	5	-48Z	-48ZW
M52	1.5	-50R	-50RW
	2	-50T	-50TW
	3	-50V	-50VW
	1.5	-52R	-52RW
M55	2	-52T	-52TW
	3	-52V	-52VW
	4	-52X	-52XW
	5	-52Z	-52ZW
M56	1.5	-55R	-55RW
	2	-55T	-55TW
	3	-55V	-55VW
	4	-55X	-55XW

规格(mm)		型号(4239) [*]	
		等级II	
公称直径	螺距	GPIP 检查用	GPWP 工作用
M56	1.5	-56R	-56RW
	2	-56T	-56TW
	3	-56V	-56VW
	4	-56X	-56XW
M58	5.5	-56ZD	-56ZDW
	1.5	-58R	-58RW
	2	-58T	-58TW
	3	-58V	-58VW
M60	4	-58X	-58XW
	1.5	-60R	-60RW
	2	-60T	-60TW
	3	-60V	-60VW
M62	4	-60X	-60XW
	5.5	-60ZD	-60ZDW
M64	1.5	-62R	-62RW
	2	-62T	-62TW
	3	-62V	-62VW
	4	-62X	-62XW
M65	1.5	-64R	-64RW
	2	-64T	-64TW
	3	-64V	-64VW
	4	-64X	-64XW
M68	6	-64O	-64OW
	1.5	-65R	-65RW
	2	-65T	-65TW
	3	-65V	-65VW
M70	4	-65X	-65XW
	1.5	-68R	-68RW
	2	-68T	-68TW
	3	-68V	-68VW
M72	4	-68X	-68XW
	6	-68O	-68OW
	1.5	-70R	-70RW
	2	-70T	-70TW
M75	3	-70V	-70VW
	4	-70X	-70XW
	6	-70O	-70OW
	1.5	-72R	-72RW
M78	2	-72T	-72TW
	3	-72V	-72VW
	4	-72X	-72XW
	4	-72X	-72XW

规格(mm)		型号(4239) [*]	
		等级II	
公称直径	螺距	GPIP 检查用	GPWP 工作用
M72	6	-72O	-72OW
M75	1.5	-75R	-75RW
	2	-75T	-75TW
	3	-75V	-75VW
	4	-75X	-75XW
M76	1.5	-76R	-76RW
	2	-76T	-76TW
	3	-76V	-76VW
	4	-76X	-76XW
M78	6	-76O	-76OW
	2	-78T	-78TW
M80	1.5	-80R	-80RW
	2	-80T	-80TW
	3	-80V	-80VW
	4	-80X	-80XW
	6	-80O	-80OW
M82	2	-82T	-82TW
	2	-85T	-85TW
	3	-85V	-85VW
	4	-85X	-85XW
	6	-85O	-85OW
M90	2	-90T	-90TW
	3	-90V	-90VW
	4	-90X	-90XW
	6	-90O	-90OW

规格(mm)		型号(4239) [*]	
		等级II	
公称直径	螺距	GPIP 检查用	GPWP 工作用
M95	2	-95T	-95TW
	3	-95V	-95VW
	4	-95X	-95XW
	6	-95O	-95OW
M100	2	-100T	-100TW
	3	-100V	-100VW
	4	-100X	-100XW
	6	-100O	-100OW
M105	2	-105T	-105TW
	3	-105V	-105VW
	4	-105X	-105XW
	6	-105O	-105OW
M110	2	-110T	-110TW
	3	-110V	-110VW
	4	-110X	-110XW
	6	-110O	-110OW
M115	2	-115T	-115TW
	3	-115V	-115VW
	4	-115X	-115XW
	6	-115O	-115OW
M120	2	-120T	-120TW
	3	-120V	-120VW
	4	-120X	-120XW
	6	-120O	-120OW
M125	2	-125T	-125TW

规格(mm)		型号(4239) [*]	
		等级II	
公称直径	螺距	GPIP 检查用	GPWP 工作用
M125	3	-125V	-125VW
	4	-125X	-125XW
	6	-125O	-125OW
M130	2	-130T	-130TW
	3	-130V	-130VW
	4	-130X	-130XW
M135	6	-130O	-130OW
	2	-135T	-135TW
	3	-135V	-135VW
M140	4	-135X	-135XW
	6	-135O	-135OW
M145	2	-140T	-140TW
	3	-140V	-140VW
	4	-140X	-140XW
M150	6	-140O	-140OW
	2	-145T	-145TW
	3	-145V	-145VW
M155	4	-145X	-145XW
	6	-145O	-145OW
M160	2	-150T	-150TW
	3	-150V	-150VW
	4	-150X	-150XW
M165	6	-150O	-150OW