



标准硬度块



洛氏



维氏



里氏

- 符合JJG硬度块国家
计量检定规程
- 带生产厂检验证书

洛氏硬度块

型号	硬度类型	规格	尺寸 [*]
HDT-B-HRA	HRA	80-84	直径： (60±1) mm 厚度： (11±1) mm
HDT-B-HRB	HRB	88-100	
HDT-B-HRC1	HRC	20-30	
HDT-B-HRC2	HRC	35-55	
HDT-B-HRC3	HRC	60-70	
HDT-B-HRD1	HRD	40-47	
HDT-B-HRD2	HRD	55-63	
HDT-B-HRD3	HRD	70-75	
HDT-B-HRE	HRE	107-114	
HDT-B-HRF	HRF	105-114	
HDT-B-HRG1	HRG	57-82	
HDT-B-HRG2	HRG	80-94	

维氏硬度块

型号	硬度类型	规格	尺寸 [*]
HDT-B-HV5A	HV5	175-200	直径： (60±1) mm 厚度： (11±1) mm
HDT-B-HV5B	HV5	200-300	
HDT-B-HV5C	HV5	300-400	
HDT-B-HV5D	HV5	400-500	
HDT-B-HV5E	HV5	500-600	
HDT-B-HV5F	HV5	600-700	
HDT-B-HV5G	HV5	700-750	
HDT-B-HV10A	HV10	175-200	
HDT-B-HV10B	HV10	200-300	
HDT-B-HV10C	HV10	300-400	
HDT-B-HV10D	HV10	400-500	
HDT-B-HV10E	HV10	500-600	
HDT-B-HV10F	HV10	600-700	
HDT-B-HV10G	HV10	700-750	
HDT-B-HV30A	HV30	175-200	
HDT-B-HV30B	HV30	200-300	
HDT-B-HV30C	HV30	300-400	
HDT-B-HV30D	HV30	400-500	
HDT-B-HV30E	HV30	500-600	
HDT-B-HV30F	HV30	600-700	
HDT-B-HV30G	HV30	700-750	
HDT-B-HV50A	HV50	175-200	
HDT-B-HV50B	HV50	200-300	
HDT-B-HV50C	HV50	300-400	
HDT-B-HV50D	HV50	400-500	
HDT-B-HV50E	HV50	500-600	
HDT-B-HV50F	HV50	600-700	
HDT-B-HV50G	HV50	700-750	
HDT-B-HV100A	HV100	175-200	
HDT-B-HV100B	HV100	200-300	
HDT-B-HV100C	HV100	300-400	
HDT-B-HV100D	HV100	400-500	
HDT-B-HV100E	HV100	500-600	
HDT-B-HV100F	HV100	600-700	
HDT-B-HV100G	HV100	700-750	

表面洛氏硬度块


型号	硬度类型	规格	尺寸 [*]
HDT-B-HR15N1	HR15N	70-77	直径： (60±1) mm 厚度： (11±1) mm
HDT-B-HR15N2	HR15N	78-88	
HDT-B-HR15N3	HR15N	89-91	
HDT-B-HR30N1	HR30N	42-54	
HDT-B-HR30N2	HR30N	55-73	
HDT-B-HR30N3	HR30N	74-80	
HDT-B-HR45N1	HR45N	20-31	
HDT-B-HR45N2	HR45N	32-61	
HDT-B-HR45N3	HR45N	63-70	
HDT-B-HR15T	HR15T	88-93	
HDT-B-HR30T	HR30T	73-82	
HDT-B-HR45T	HR45T	58-72	

里氏硬度块

型号	硬度类型	规格	尺寸 [*]
HDT-B-HLD1	HLD	490-570	直径：(90±1) mm 厚度：(55±1) mm
HDT-B-HLD2	HLD	590-670	
HDT-B-HLD3	HLD	750-830	
HDT-B-HLG1	HLG	460-540	直径：(120±1) mm 厚度：(70±1) mm
HDT-B-HLG2	HLG	550-630	



显微维氏



布氏



邵氏

显微维氏硬度块

型号	硬度类型	规格	尺寸 [*]
HDT-B-HV005A	HV0.05	200-300	直径： (25±1) mm 厚度： (6±2) mm
HDT-B-HV005B	HV0.05	300-400	
HDT-B-HV005C	HV0.05	400-500	
HDT-B-HV005D	HV0.05	500-600	
HDT-B-HV005E	HV0.05	600-700	
HDT-B-HV005F	HV0.05	700-750	
HDT-B-HV01A	HV0.1	200-300	
HDT-B-HV01B	HV0.1	300-400	
HDT-B-HV01C	HV0.1	400-500	
HDT-B-HV01D	HV0.1	500-600	
HDT-B-HV01E	HV0.1	600-700	
HDT-B-HV01F	HV0.1	700-750	
HDT-B-HV02A	HV0.2	200-300	
HDT-B-HV02B	HV0.2	300-400	
HDT-B-HV02C	HV0.2	400-500	
HDT-B-HV02D	HV0.2	500-600	
HDT-B-HV02E	HV0.2	600-700	
HDT-B-HV02F	HV0.2	700-750	
HDT-B-HV03A	HV0.3	200-300	
HDT-B-HV03B	HV0.3	300-400	
HDT-B-HV03C	HV0.3	400-500	
HDT-B-HV03D	HV0.3	500-600	
HDT-B-HV03E	HV0.3	600-700	
HDT-B-HV03F	HV0.3	700-750	
HDT-B-HV05A	HV0.5	200-300	
HDT-B-HV05B	HV0.5	300-400	
HDT-B-HV05C	HV0.5	400-500	
HDT-B-HV05D	HV0.5	500-600	
HDT-B-HV05E	HV0.5	600-700	
HDT-B-HV05F	HV0.5	700-750	
HDT-B-HV1A	HV1	200-300	
HDT-B-HV1B	HV1	300-400	
HDT-B-HV1C	HV1	400-500	
HDT-B-HV1D	HV1	500-600	
HDT-B-HV1E	HV1	600-700	
HDT-B-HV1F	HV1	700-750	

邵氏硬度块

型号	硬度类型	规格	尺寸 [*]
HDT-B-SA	SA	6pcs/set	直径: 50mm, 厚度: 7mm
HDT-B-SD	SD	3pcs/set	长50mm, 宽50mm, 高7mm

布氏硬度块

型号	硬度类型	规格	尺寸 [*]
HDT-B-HB10A1	HBW10/3000	100-200	直径： (100±1) mm 厚度： >16mm
HDT-B-HB10A2	HBW10/3000	200-300	
HDT-B-HB10A3	HBW10/3000	300-400	
HDT-B-HB10A4	HBW10/3000	400-500	
HDT-B-HB10A5	HBW10/3000	500-600	
HDT-B-HB10A6	HBW10/3000	600-650	
HDT-B-HB10B1	HBW10/1500	100-200	
HDT-B-HB10B2	HBW10/1500	200-300	
HDT-B-HB10B3	HBW10/1500	300-400	
HDT-B-HB10B4	HBW10/1500	400-500	
HDT-B-HB10B5	HBW10/1500	500-600	
HDT-B-HB10B6	HBW10/1500	600-650	
HDT-B-HB10C1	HBW10/1000	90-200	
HDT-B-HB10C2	HBW10/1000	200-300	
HDT-B-HB10C3	HBW10/1000	300-400	
HDT-B-HB10C4	HBW10/1000	400-450	
HDT-B-HB10D1	HBW10/500	90-200	
HDT-B-HB10D2	HBW10/500	200-300	
HDT-B-HB10D3	HBW10/500	300-400	
HDT-B-HB10D4	HBW10/500	400-450	
HDT-B-HB25A1	HBW2.5/187.5	100-200	直径： (64±1) mm 厚度： >6mm
HDT-B-HB25A2	HBW2.5/187.5	200-300	
HDT-B-HB25A3	HBW2.5/187.5	300-400	
HDT-B-HB25A4	HBW2.5/187.5	400-500	
HDT-B-HB25A5	HBW2.5/187.5	500-600	
HDT-B-HB25A6	HBW2.5/187.5	600-650	
HDT-B-HB25B1	HBW2.5/62.5	90-200	
HDT-B-HB25B2	HBW2.5/62.5	200-300	
HDT-B-HB25B3	HBW2.5/62.5	300-400	
HDT-B-HB25B4	HBW2.5/62.5	400-450	
HDT-B-HB5A1	HBW5/750	100-200	直径： (100±1) mm 厚度： >12mm
HDT-B-HB5A2	HBW5/750	200-300	
HDT-B-HB5A3	HBW5/750	300-400	
HDT-B-HB5A4	HBW5/750	400-500	
HDT-B-HB5A5	HBW5/750	500-600	
HDT-B-HB5A6	HBW5/750	600-650	
HDT-B-HB5B1	HBW5/250	90-200	直径： (64±1) mm 厚度： >6mm
HDT-B-HB5B2	HBW5/250	200-300	
HDT-B-HB5B3	HBW5/250	300-400	
HDT-B-HB5B4	HBW5/250	400-450	



努氏



超声波

努氏硬度块

型号	硬度类型	规格	尺寸*
HDT-B-HK005A	HK0.05	200-300	直径: (25±1) mm 厚度: (6±2) mm
HDT-B-HK005B	HK0.05	400-500	
HDT-B-HK005C	HK0.05	700-800	
HDT-B-HK01A	HK0.1	200-300	
HDT-B-HK01B	HK0.1	400-500	
HDT-B-HK01C	HK0.1	700-800	
HDT-B-HK02A	HK0.2	200-300	
HDT-B-HK02B	HK0.2	400-500	
HDT-B-HK02C	HK0.2	700-800	
HDT-B-HK03A	HK0.3	200-300	
HDT-B-HK03B	HK0.3	400-500	
HDT-B-HK03C	HK0.3	700-800	
HDT-B-HK05A	HK0.5	200-300	
HDT-B-HK05B	HK0.5	400-500	
HDT-B-HK05C	HK0.5	700-800	
HDT-B-HK1A	HK1	200-300	
HDT-B-HK1B	HK1	400-500	
HDT-B-HK1C	HK1	700-800	

超声波硬度块

型号	硬度类型	规格	尺寸*
HDT-B-HRCU1	HRC	20-30	直径: (90±1) mm 厚度: >16mm
HDT-B-HRCU2	HRC	35-55	
HDT-B-HRCU3	HRC	60-70	
HDT-B-HV2U8	HV2	200-300	
HDT-B-HV2U9	HV2	400-500	
HDT-B-HV2U10	HV2	700-750	
HDT-B-HV5U1	HV5	200-300	
HDT-B-HV5U2	HV5	400-500	
HDT-B-HV5U3	HV5	700-750	
HDT-B-HB10U1	HBW10/1000	90-200	
HDT-B-HB10U2	HBW10/3000	200-300	
HDT-B-HB10U3	HBW10/3000	300-400	
HDT-B-HB10U4	HBW10/3000	400-500	

锤击布氏硬度条

型号	硬度类型	规格	尺寸*
HDT-B-HB5C1	HBS5/750	177-217	12x12x150mm

*以上尺寸仅供参考, 以实际交货为准